

FOILBOARDS USER MANUAL



THANK YOU FOR CHOOSING LEVITAZ.

FOR THE BEST RIDE YOU NEED THE BEST GEAR. EXPERIENCE HIGH PERFORMANCE WITH LEVITAZ, AND FIND OUT HOW A PASSION FOR INNOVATION AND OUR TECHNICAL KNOW-HOW IN THE FOIL INDUSTRY COMBINE TO PRODUCE SUPERIOR EQUIPMENT – DESIGNED TO ENABLE RIDERS TO STEP UP THEIR GAME IN ANY CONDITIONS.



CONTENTS

1	INTRODUCTION	5
2	WARNING AND SAFETY PRECAUTIONS	6
3	FOIL BOARD OVERVIEW	8
4	FOIL BOARD ASSEMBLY	9
4.	1 ATTACHING YOUR LEVITAZ FOIL TO YOUR FOIL BOARD	10
4.:	2 FOIL MOUNTING POSITION GUIDE	14
4.:	3 FOOT STRAPS INSTALLATION	14
5	MAINTENANCE AND CARE	16
6	PACKAGING AND DISPOSING OF USED PARTS	17
7	REPLACEMENT PARTS	17
8	SERIAL NUMBER	18
9	WARRANTY POLICY	18



1 INTRODUCTION

GENERAL INFORMATION

The Levitaz foilboards are for foiling on water only. This manual contains important information about the proper use of the product and its safety. Follow these instructions carefully and precisely. This helps to reduce the risk of damage to the product, personal injury or death.

This manual is part of the product.

Keep this manual in a safe place for the entire life of the product.

If the product is transferred to a new owner, this manual and all associated documents must be passed on to the new owner.

The meaning and appearance of safety symbols used in this manual are as follows:



The text after the signal word "WARNING!" contains important information, which must be followed to avoid serious personal injury or death.

NOTICE!

The text after the signal word "NOTICE!" contains information, which must be followed to avoid damage to the product.

Use of this product and any of its components, as well as hydrofoiling in any type of water sports involves certain inherent risks, dangers and hazards. Even if all the following instructions are followed, the risk of serious injury or death to you or others will not be eliminated.

Levitaz, a brand of Geislinger GmbH or any of its agents shall not be liable for any loss, cost, claim, damage, demand or expense you may suffer whatsoever arising as a result of your actions when using the product.

2 WARNING AND SAFETY PRECAUTIONS



Hydrofoiling in any kind of water sports is inherently a dangerous activity that can result in serious injury or death to the user or people in the proximity of the user, with or without a Levitaz product. These risks include drowning or being hit by the product if the user loses control of it. The product may increase the risk of some injuries to users or bystanders by adding additional structure to the board that may strike users or bystanders; by increasing the speed at which the board can be operated, or by changing the manner in which an out-of-control board reacts as it contacts water or ground during an out-of-control situation. The user of this product should understand that the use and participation in the sport and any foiling activity could cause injury or death to you and/or others around you.

OBSERVE THE FOLLOWING SAFTY STANDARDS WHENEVER USING THIS PRODUCT:

Hydrofoiling and kite boarding are dangerous sports.

Use of this product exposes the user to unexpected and unavoidable risks, dangers and hazards.

Read the manual for important information about the installation, care and maintenance of the board before use.

Always use extreme caution when using this product.

Never use this product unless you are in good physical health.

Never use this product unless you are an experienced swimmer.

Never act in a careless manner when using this product.

We do not recommend hydrofoiling in breaking surf.

Always observe local rules and regulations when using this product.

Always wear an approved life and protection vest.

Always wear a suitable helmet.

This product is designed for use on water only.

Make sure you take lessons before using this product on the water. Never use this product in conditions that are above your ability level.

Surf under control and do not use at speeds that exceed the skills of the rider.



Never use this product in shallow water or near the shore, or near docks, pylons, swimmers or other activities.

Do not use this product in thunderstorm and/or lightning conditions.

The users are responsible for their safety and the safety of those around them.

Components in this product are subject to the random forces of natural elements and are subject to irregular wear.

Only use original Levitaz replacement parts.

It is the user's responsibility to inspect equipment for wear before every use.

It is the user's responsibility to repair and maintain this product.

The use of damaged products is not allowed.

Before riding ensure that the bolts are tightened with the tightening torque that is described in this manual.

Geislinger GmbH is not responsible for injuries, death or damage to the product due to misuse or any use not consistent with these instructions.


Do not use this product under the influence of alcohol, drugs or medications.

Minimum age of rider: 18 years.

At temperatures above ≥ 650 °C (1200 °F), decomposition of the carbon fiber can cause respirable fiber particles (WHO-fibers). Do not inhale combustion gases.

Failure to follow these instructions may increase the risk of serious personal injury or death, damage to the product or both.

3 FOIL BOARD OVERVIEW



- 1 Front Foot Strap Inserts for Center Strap (1 front foot strap)
- 2 Front Foot Strap Inserts for V-Position (2 front foots straps)
- 3 Rear Foot Strap Insert
- 4 Track Mounting System
- 5 Foil Mounting Position Scale
- 6 Serial Number

Please note that the Foot Strap Insert position and amount does vary depending on the model. Not every model is equipped with V-Position Inserts and Center Strap Inserts.



4 FOIL BOARD ASSEMBLY

The Levitaz Foilboards have a track mounting system to work with the 165 x 90 mm bolt pattern to attach the foil system to the board.

It is highly likely that other foil systems on the market will be compatible with your Levitaz Foil Board. However no guarantees can be given. For best results, we recommend using your Levitaz Foil Board with the Levitaz Hydrofoil System.

Please note that the Foils system is sold seperatly. For Foil assembly please see the Levitaz Hydrofoil Manual online at levitaz.com.

NOTICE!

Do not use power tools for the assembly or disassembly process. This may cause serious damage to the product as control of torque and power is limited. Doing so will render your warranty void.

NOTICE!

Over tightening screws can cause irreversible damage to the inserts. Doing so will render your warranty void.


NOTICE!

Use the Inbus tool provided in the scope of delivery. Using the wrong tool will damage the screw head and create sharp edges that will cause harm.

4.1 ATTACHING YOUR LEVITAZ FOIL TO YOUR FOIL BOARD


NOTICE!

Ensure that all surfaces are free from dirt or sand prior to the assembly. Pay close attention to the Board Adapter on the foil system and the board tracks.



Use the four M8 bolts with washers and T-Nuts for mounting which are supplied in the accessory bag. Make sure that the sequence (bolt head, metal washer, plastic washer) is correct.

Insert two T-Nuts with its washers and T-Nuts into each track using the central track entry points, ensuring the correct T-Nut orientation is maintained. You may need to perform some minor adjustments to the T-Nut alignment in order for the T-Nuts to locate correctly down into the central track entry opening.



Slide the T-Nuts with its bolts and washers towards the back ends of the tracks.





Assembly Method A:

For board interfaces with open fixing points

Position the board adaptor of the assembled foil system parallel to the base of the board, above the tracks. The leading edge of the mast should be pointing towards the nose of the board.



Slide the four bolts into the open fixing points of the the Board Adaptor and hand tighten the bolts that they are still able to slide in the tracks.



Slide the foil system, together with the loosely tightened bolts and T-Nuts, along the tracks into your desired position, using the Foil Mounting Position Guide as a reference. When you are happy with the positioning, tighten all the bolts firmly using the Inbus tool in a diagonal sequence until the foil system is fully secured and the bolts are firmly tight.

(Tightening torque 9 +/- 1 NM)

NOTICE!

Ensure that you tighten the bolts in a diagonal sequence until the foil system is fully secured and the screws are firmly tight. Tightening with the wrong sequence or wrong tightening torque will damage the tracks and create sharp edges that will cause harm.



Assembly Method B:

For board interfaces with closed fixing points

Dismount the bolts and washer that only the T-Nuts stay in the tracks.



Position the Board Adaptor over the T-Nuts in the track.

You may need to perform some minor adjustments to the T-Nut alignment in order for the T-Nuts to locate correctly underneath the fixing point holes. Use the supplied Inbus tool to adjust them.





Insert the four bolts with its washers into the T-Nuts and hand tighten them.

Make sure that the sequence (bolt head, metal washer, plastic washer) is correct.



Slide the foil system, together with the loosely tightened bolts and T-Nuts, along the tracks into your desired position, using the Foil Mounting Position Guide as a reference.

When you are happy with the positioning, tighten all the bolts firmly using the Inbus tool in a diagonal sequence until the foil system is fully secured and the bolts are firmly tight.

(Tightening torque 9 +/- 1 NM)

NOTICE!

Ensure that you tighten the bolts in a diagonal sequence until the foil system is fully secured and the screws are firmly tight. Tightening with the wrong sequence or wrong tightening torque will damage the tracks and create sharp edges that will cause harm.

4.2 FOIL MOUNTING POSITION GUIDE




The further front the foil is mounted the more pressure you will have at your front foot. For initial installation we recommend to mount the foil in a middle position and slowly adjust the mounting position to find your preferenced personal setting.

Basically the more advanced the rider, the more front foot pressure makes sense. Additionally the riders weight plays a keyrole for the correct position. Riders < 75 kg (< 165 lbs) might need less front foot pressure why they should position the foil further towards the tail (-). Heavier riders will be able to control more front foot pressure and should position the foil tendencially more to the front (+).

NOTE: The scale shall serve as guidance for your personal setting and is not applicable in general to all mast connectors. Different mast connector outlines will show different figures on your scale with actually identical mounting position of the mast.

4.3 FOOT STRAPS INSTALLATION



Inventory List

3 pcs Freeride Strap

6 pcs Single Washers 6 pcs 5 x 30 Self-Tapping Screws

The Levitaz Freeride Straps are designed to fit a range of possible positions allowing you to customise your stance position to suit your personal preference and size.

On all Levitaz Foil Boards with strap screw inserts the base spacing between each insert is 25 mm. For a narrow stance use the innermost screw inserts, for a wider stance move outwards with a maximum stance option by using the outmost screw insert.



The plastic washers are designed in an assymetrical shape which allows to micro-adjust the width of your footstrap. By rotating the washer 180° the strap can be tightened or loosened according to personal preference.

NOTICE!

Do not use power tools for the assembly or disassembly process. This may cause serious damage to the product as control of torque and power is limited. Doing so will render your warranty void.

NOTICE!

Tighten the screws firmly. Over tightening screws can cause irreversible damage to the inserts. Doing so will render your warranty void.



Ensure the straps, board, screw inserts and screws are free from dirt and sand.

Place the plastic washer under the nylon cover of the strap and line it with the screw inserts on the board



While holding back the nylon cover of the strap, insert one screw through the plastic washer into the screw insert of your choice. Tighten the screw firmly.

Repeat for remaining strap end using the dedicated plastic washer, metal washer and screw

Use same method as above for the installation of the remaining straps.

NOTICE!

For multiple asembly in same foot strap insert: Make sure that you insert the screw into the pre-tapped threads. The thread of initial mount should always be reused. Non-observance will cause irreversible damage to the inserts.

5 MAINTENANCE AND CARE

Clean your Levitaz board in fresh water after every use.

Use recommended Levitaz Hydrofoils foot straps and accessories.

Check your board prior to each use. Ensure that the screws are tight and that there are no cracks or holes which could compromise your boards structure.

Do not overtighten screws as they are subject to extreme loads. Screw tightness should be checked regulary.

Avoid unnecessary sun exposure to your board.

Avoid exposure to hot temperatures like inside an unventilated car.

Store your Levitaz board in a suitable board bag for optimal protection to prevent from any unnecessary tear and wear.

Do not place heavy parts on top of the product.

Storage Temperatures:

NOT PERMITTED	OPTIMAL	PERMITTED UP TO	NOT PERMITTED
<-30 °C (-22°F)	-10°C - +25°C (+14°F - +77°F)	+45°C (+113°F)	> 45°C (+113°C)



NOTICE!

Failure to do so may cause serious damage to the product and void the warranty.

6 PACKAGING AND DISPOSING OF USED PARTS

All parts are packed in a cardboard box

Take the parts out of the box.

Remove the packing film from the product parts.

Check the product parts for the completeness of its scope of delivery.

Check the product parts for possible damage that may have occurred during transportation.

The cardboard box and PE film can be recycled.

After replacing individual components:

All metal parts can be recycled (scrap metal).

The board and straps must be disposed of as residual waste.

Federal, state or local regulations must always be observed when disposing of the product or parts thereof.

7 REPLACEMENT PARTS

NOTICE!

Use only original Levitaz replacement parts.

Failure to do so may cause serious damage to the product and void the warranty.

8 SERIAL NUMBER



Each board has an individual Part ID (serial number). On the Levitaz foil boards the serial number can be found at the tail on the bottom of the board.

9 WARRANTY POLICY

Levitaz warrants this product to be free from major defects — in material or workmanship — to the consumer, as defined by the EU. Consumer Protection Act for a period of 24 months within the E.U and six months otside the EU. If the customer is a company, it must inspect the goods provided immediately for non-conformances in quality and defects and must notify us in writing within two weeks from receipt of the goods; otherwise, assertion of warranty claims is excluded. To meet the deadline, the notice must be sent on time.

This warranty is subject to the following limitations:

The warranty is valid only when this product is used for normal recreational activities and does not cover products used in rental or teaching operations.

Levitaz will make the final warranty determination, which may require inspection and/or photos of the equipment, which clearly show the defect(s). If necessary, this information must be sent to the Levitaz head office or official distributor in your country — postage prepaid. Product may be returned only if a return authorization is given in advance by the Levitaz head office or official distributor.

If a product is deemed to be defective by Levitaz, the warranty covers the repair or replacement of the defective product only. Levitaz will not be responsible for any costs, losses or damages incurred as a result of loss of use of this product.



This warranty does not cover damage caused by misuse, abuse, neglect or normal wear and tear including, but not limited to: punctures, rigging with other than Levitaz components, damage due to excessive sun exposure or damage caused by improper handling and storage, damage caused by use in waves or shore break and damage caused by crashing the foil at high speed, or damage caused by anything other than defects in material and workmanship.

This warranty is void if any unauthorized repair, change or modification has been made to any part of the equipment. The warranty for any repaired or replaced equipment is good from the date of the original purchase only. The original purchase receipt must accompany all warranty claims. The name of the retailer and date of purchase must be clear and legible. A claim form can be downloaded from levitaz.com.

There are no warranties which extend beyond the warranty specified herein.



LEVITAZ HYDROFOILS a brand of Geislinger GmbH Hallwanger Landesstr. 3 5300 Hallwang / Salzburg **AUSTRIA** office@levitaz.com www.levitaz.com

